

Honeywell

CAWDView

User Manual

Honeywell

Honeywell Black™

CONTENTS


1. ANDROID.....	2
1.1 USER REGISTER.....	4
1.2 REAL-TIME PREVIEW.....	6
1.3 DEVICE MANAGEMENT.....	8
1.4 PLAYBACK.....	14
1.5 ALARM MANAGEMENT.....	14
1.6 LOCAL PLAYBACK.....	18
1.7 IMAGE VIEW.....	18
1.8 MODIFY PASSWORD.....	19
1.9 LOCAL CONFIGURATION.....	19
2、 IPHONE.....	21
2.1 USER REGISTER.....	22
2.2 REAL-TIME PREVIEW.....	23
2.3 DEVICE MANAGEMENT.....	25
2.4 PLAYBACK.....	31
2.5 ALARM MANAGEMENT.....	31
2.6 LOCAL PLAYBACK.....	35
2.7 IMAGE VIEW.....	36
2.8 MODIFY PASSWORD.....	37
2.9 LOCAL CONFIGURATION.....	37

This manual has mainly instructions on the installation and usage in Android, iPhone mobile phone.

1.Android

This cloud service platform is the best mobile phone video during the internet era. It consists of front-end acquisition devices, platform servers, and remote view of three parts.

Open the software into the login interface, inputting the username and password and click button “login”, then it will be login the application.



Icon description:


Icon	Function description
	After select, it will go directly to the main menu when you log in again.

Notice: Please click "LoginFree", directly into the system, without verifying user name and password. And you can get help information without login.

1.1 User register

User register

Click the button “register” on the login menu, then will jump to the register interface.



Enter the register information, click “register” then will be registered.

Note:1 please enter the valid E-mail address in order to retrieve your password when you lost it.

2 No account login version, no such function!

retrieve the password

On the register clicking the button “login” and jump to “retrieve password” interface.




Input the username, click button “retrieve password”.

If you have entered your name and email address when registering and the username has been occupied, then “retrieve password” information will be sent to the email address.

1.2 Real-time preview

In the main menu, clicking “real-time preview”
Click “Favorites” button, go to “collection management” interface



Click on the icon , favorites list change into editing state, click icon , you can delete your favorites.

Select one of the devices on “Live list” enters the video preview interface.



Button instruction:


icons

function instruction

	return to main menu
	move to the left
	move to the right
	move down
	move up
	enlarge
	narrow
	zoom out
	zoom in
	aperture enlarge
	aperture narrow
	start/ close intercom
	start/ close speakers
	stop/ start
	snapshot
	start / close the local video
	favorites
	channel switcher

1.3 device management

Click the button "device management" on the main menu and enter "device management" interface.




Icon instruction:

Icon	Function instruction
	return to the main menu
	click on the pop-up menu, such as modifying parameters, name options
	shot
	catalogue
	device
	after pop-up, add the catalogue,, device and shot menu



Modify the connection parameter

Click on the icon , select “modify connect parameter”, then into “modify device” dialog box:



- A) Click on the icon , return to the device management lists.
- B) Click on the icon , save the current configuration.

Modify the name

Click on the icon , select the option “modify the name”, then pops up “modify name” or “modify the catalogue” dialog box.




- A) Click "OK" button to save the current configuration.
- B) Click "cancel" button to cancel the modifying.

Delete

Click on icon , select "delete" button to delete the current device directly

Add the catalogue


Click on icon , select "add the catalogue" option, then pops up "add the catalogue" dialog box



- A) Click "OK" button, it will be saved the current configuration. Then will be showed in the device management list.
- B) Click button "Cancel" to cancel to add the catalogue.

Add the device

Click on the icon to select "add the device" option.

**Icon instruction**

Icon	Function instruction
	Open the camera and shoot the QR code to obtain the data.
	Save the device data
	Cancel to add the device.


Add the shot

Please see the operation introduction of “add devices”.

Search the local device

Click on the icon to enter “search” dialog box. If there are some devices in local place, you

would search out the corresponding device.



Icon instruction


Icon	Function instruction
	return to device management
	pop up the option of “add menu”
	search the device again

Click on the icon , then pop up the menu as follows:

- A) Add a device: add DVR (multi- channel)
- B) Add a shot: add a single camera (single channel)
- C) Modify the name: modify the name of the device or shot
- D) Modify IP: Modify the IP address, subnet mask, gateway information
- E) Modify the device password

1.4 Playback


Click button “playback” option in the main menu, and then select to playback the video.



After select an event type, start time and end time, clicking on the icon will list out the remote video lists, and then click on the item will be selected to play or download videos.

1.5 Alarm management

Click the option of “alarm management” in the main menu




Icon instruction:

Icon	Function instruction
	No guard

	Guarded
	Click the pop-up menu options

Guard

Click on the icon  to select “guard” option, pop up the dialog box as follows:




Select the option those need to alarm and click the button “setup” to save the current settings; Click the button “cancel” to cancel the current settings.

Unguard

Click on the icon  to select the button “unguard”, cancel the current camera setting.

Note


Click on the icon to select “note” option , and then pop up the dialog as follows:



A) SMS notification: set the cell phone number of alarm notification

B) News push: open/ close the news push setting

In the notification interface, and then into “SMS notification” interface



Icon instruction


Icon

Function instruction

	return to the alarm management
	Add the number of SMS
	Delete the current number

Record

Click on the icon to select “record” option , and then pop up the dialog of “alarm record”




The icons instruction


Icon	Function instruction
	return to the alarm management
	search the alarm record
	page up
	page down
	Delete all alarm information

1.6 Local playback

Click on “local playback” option in the main menu, and then into the interface as follows



Click on the icon , the local playback video list change to editing states.



Select the video options that you want to delete, and then click the icon ; you can delete the selected local video.

1.7 Image view

Click on “images browsing” option



Click on the icon , the local playback video list change to editing states.



Select the image options that you want to delete , and then click on the icon to delete the selected local images.

1.8 Modify password


Click on "modify password" option in the main menu, and then into the interface as follows:



Click on the icon to save the current modified password .

1.9 Local configuration

Click on "local configuration" option in the main menu, and then into the interface as follows


**Function instruction:**

Function	Instruction
PTZ length	The camera rotation rate setting
Do not disturb	Alarm Info Tips switch
Alarm voice	Close the alarm voice

Click on the icon to save the current configuration.

2、 Iphone

Open the software into the login interface, inputting the username and password and click button “login”, then it will be login the application.



Icon description:


Icon	Function description
	After select, it will go directly to the main menu when you log in again.

Notice: Please click "LoginFree", directly into the system, without verifying user name and password. And you can get help information without login.

2.1 User register

User register

Click the button “register” on the login menu, then will jump to the register interface.




Enter the register information, click “register” then will be registered.

Note: 1 please enter the valid E-mail address in order to retrieve your password when you lost it.

2 No account login version, no such function!

retrieve the password

On the register clicking the button “login” and jump to “Retrieve password” interface.



Input the username, click button “retrieve password”.


If you have entered your name and email address when registering and the username has been occupied, then “retrieve password” information will be sent to the email address.

2.2 Real-time preview

In the main menu, clicking “real-time preview”

Click “Favorites” button, go to “collection management” interface

Select one of the devices on “Live list” enters the video preview interface.




Button instruction:

icons	function instruction
	return to main menu
	move to the left
	move to the right
	move down
	move up
	enlarge
	narrow
	zoom out

	zoom in
	aperture enlarge
	aperture narrow
	start/ close intercom
	start/ close speakers
	stop/ start
	snapshot
	start / close the local video
	favorites
	channel switcher

2.3 device management

Click the button "device management" on the main menu and enter "device management" interface.




Icon instruction:

Icon	Function instruction
	return to the main menu
	click on the pop-up menu, such as modifying parameters, name options
	shot
	catalogue
	device
	after pop-up, add the catalogue,, device and shot menu
	search the local shot

Modify the connection parameter

Click on the icon , select “modify connect parameter”, then into “modify device” dialog box:




A) Click on the icon , return to the device management lists.

B) Click on the icon , save the current configuration.

Modify the name

Click on the icon , select the option “modify the name”, then pops up “modify name” or “modify the catalogue” dialog box.




- A) Click “OK” button to save the current configuration.
- B) Click “cancel” button to cancel the modifying.

Delete

Click on icon , select “delete’ button to delete the current device directly

Add the catalogue


Click on icon , select “add the catalogue” option, then pops up “add the catalogue” dialog box



- A) Click “OK” button, it will be saved the current configuration. Then will be showed in the device management list.
- B) Click button “Cancel” to cancel to add the catalogue.

Add the device

Click on the icon to select “add the device” option.

**Icon instruction**

Icon	Function instruction
	Open the camera and shoot the QR code to obtain the data.
	Save the device data
	Return the main menu


Add the shot

Please see the operation introduction of “add devices”.

Search the local device

Click on the icon to enter “Device search” dialog box. If there are some devices in local

place, you would search out the corresponding device. 



Icon instruction


Icon	Function instruction
	return to device management
	pop up the option of “add menu”
	search the device again

Click on the icon , then pop up the menu as follows:

- A) Add a device: add DVR (multi- channel)
- B) Add a shot: add a single camera (single channel)
- C) Modify the name: modify the name of the device or shot
- D) Modify IP: Modify the IP address, subnet mask, gateway information
- E) Modify the device password

2.4 Playback


Click button “playback” option in the main menu, and then select to playback the video.



After select an event type, start time and end time, click the button OK will list out the remote video lists, and then click on the item will be selected to play or download videos.

2.5 Alarm management

Click the option of “alarm management” in the main menu




Icon instruction:

Icon	Function instruction
	No guard
	Guarded
	Click the pop-up menu options

Guard

Click on the icon to select “guard” option, pop up the dialog box as follows:




Select the option those need to alarm and click the button “OK” to save the current settings; Click the button “Cancel” to cancel the current settings.

Unguard

Click on the icon to select the button “unguard”, cancel the current camera setting.


Note

Click on the icon to select “note” option , and then pop up the dialog as follows:



- A) SMS notification: set the cell phone number of alarm notification
- B) Message push: open/ close the news push setting

In the notification interface, and then into “SMS notification” interface




Icon instruction

Icon	Function instruction
	return to the alarm management
	Add the number of SMS
	Delete the current number

Record

Click on the icon to select “record” option , and then pop up the dialog of “alarm record”




The icons instruction

Icon	Function instruction
	return to the alarm management
	search the alarm record
	page up
	page down
	delete all alarm information

2.6 Local playback

Click on “local playback” option in the main menu, and then into the interface as follows



Click on the icon , the local playback video list change to editing states.



Select the video options that you want to delete, and then click the button "delete"; you can delete the selected local video.

2.7 Image view

Click on “images browsing” option



Click on the icon , the local playback video list change to editing states.



Select the image options that you want to delete, and then click on the button delete to delete the selected local images.

2.8 Modify password


Click on "modify password" option in the main menu, and then into the interface as follows:



Click on the icon to save the current modified password.

2.9 Local configuration

Click on "local configuration" option in the main menu, and then into the interface as follows



Function instruction:

Function	Instruction
PTZ length	The camera rotation rate setting
Do not disturb	Alarm Info Tips switch
Alarm voice	Close the alarm voice
Alarm languagece	Alarm push language

Click on the icon  to save the current configuration.